

Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

INT-157
RN

SOUTHERN FOREST EXPERIMENT STATION
LIBRARY

APR 25 1972

A99.9 F764Un

Research Note

UNITED STATES DEPARTMENT OF AGRICULTURE
FOREST SERVICE
INTERMOUNTAIN FOREST & RANGE EXPERIMENT STATION
OGDEN, UTAH 84401

USDA Forest Service
Research Note INT-157

March 1972

STATION PUBLICATIONS IN FOREST GENETICS AND RELATED FIELDS¹

R. T. Bingham²

ABSTRACT

*Lists 123 Station and Station-connected publications in forest genetics, tree breeding, and related fields, dating from 1921. Revises and updates Roberts, V., USDA Forest Serv. Res. Note INT-48, 1966. Over one-half of the publications are concerned with white pines (principally *Pinus monticola*), and over one-third deal with various aspects of white pine blister rust resistance. Other species receiving more than minor attention are *Pinus ponderosa*, *P. contorta* and *Pseudotsuga menziesii*.*

ANDRESEN, J. W., and R. J. STEINHOFF

1971. The taxonomy of *Pinus flexilis* and *P. strobiformis*. *Phytologia* 22(2): 57-70.

BAKER, F. S.

1921. Two races of aspen. *J. Forest.* 19(4): 412-413.

*BARNES, BURTON V.

1964. Self- and cross-pollination of western white pine: a comparison of height growth of progeny. *USDA Forest Serv. Res. Note INT-22*, 3 p.

**BARNES, BURTON V.

1967. Phenotypic variation associated with elevation in western white pine. *Forest Sci.* 13(4): 357-364.

**BARNES, BURTON V.

1969. Effects of thinning and fertilizing on production of western white pine seed. *USDA Forest Serv. Res. Pap. INT-58*, 14 p.

¹Single asterisk (*) indicates that reprints are available at Forestry Sciences Laboratory, P.O. Box 469, Moscow, Idaho 83843; (**) double asterisks indicate that reprints are available at Intermountain Forest and Range Experiment Station, 507-25th St., Ogden, Utah 84401.

²Principal Plant Geneticist, USDA Forest Serv., Intermountain Forest and Range Exp. Sta., Ogden, Utah, stationed in Moscow, Idaho, at Forestry Sciences Laboratory, which is maintained in cooperation with the University of Idaho.

- *BARNES, BURTON V., and R. T. BINGHAM
1962. Juvenile performance of hybrids between western and eastern white pine. USDA Forest Serv., Intermountain Forest and Range Exp. Sta. Res. Note 104, 7 p.
- *BARNES, BURTON V., and R. T. BINGHAM
1963. Cultural treatments stimulate growth of western white pine seedlings. USDA Forest Serv. Res. Note INT-3, 8 p.
- *BARNES, BURTON V., and R. T. BINGHAM
1963. Flower induction and stimulation in western white pine. USDA Forest Serv. Res. Pap. INT-2, 10 p.
- *BARNES, BURTON V., R. T. BINGHAM, and J. A. SCHENK
1962. Insect-caused losses to western white pine cones. USDA Forest Serv., Intermountain Forest and Range Exp. Sta. Res. Note 102, 7 p.
- *BARNES, BURTON V., R. T. BINGHAM, and A. E. SQUILLACE
1962. Selective fertilization in *Pinus monticola* Dougl. II. Results of additional tests. *Silvae Genet.* 11(4): 103-111.
- BECKER, W. A.
1971. A quantitative genetic analysis of blister rust resistance in western white pine. P. 91-99, in: Bogart, R. (Ed.), *Genetic Lectures*, Vol. 2, 126 p. Corvallis: Oreg. State Univ. Press.
- BECKER, W. A., and M. A. MARSDEN
1972. Estimation of heritability and selection gain for blister rust resistance in western white pine. P. 397-409, in: Bingham, R. T., R. J. Hoff, and G. I. McDonald (Eds.), *Biology of Rust Resistance in Forest Trees*. USDA Forest Serv. Misc. Pub. 1221, 681 p.
- BINGHAM, R. T.
1956. Some preliminary results in testing seedling progenies from controlled pollinations among blister rust resistant western white pines. P. 77-86, in: 3d Western Int. Forest Dis. Work Conf. Proc. 1955, 110 p.
- BINGHAM, R. T.
1959. Heritability and genetic improvement in log quality. P. 24-26, in: Univ. Idaho Log Grading Conf. Proc., 46 p.
- *BINGHAM, R. T. (Editor)
1960. An annotated directory to Canadian and foreign workers in forest genetics and related fields. *J. Forest.* 58(8): 602-618.
- BINGHAM, R. T.
1960. Progress in breeding blister rust resistant western white pine. P. 54-57, in: 7th Western Int. Forest Dis. Work Conf. Proc. 1959, 121 p.
- *BINGHAM, R. T.
1961. Problems in forest tree breeding. The intra-species approach in breeding for disease resistance. P. 1691-1693, in: *Recent Advances in Botany*. 1766 p. (2 vols.) Toronto: Univ. Toronto Press.
- *BINGHAM, R. T.
1963. New developments in breeding western white pine. I. Breeding for blister rust resistance. *Forest Genetics Workshop Proc. 1962*. Southern Forest Tree Impr. Comm. Sponsored Pub. 22: 69-70.

- BINGHAM, R. T.
1963. Problems and progress in improvement of rust resistance of North American trees. Doc. FAO/FORGEN 63-6a/1, (12 p.) in: World Consultation on Forest Genet. and Tree Impr. Proc., Vol. 2. Rome: FAO.
- *BINGHAM, R. T.
1966. Breeding blister rust resistant western white pine. III. Comparative performance of clonal and seedling lines from rust-free selections. *Silvae Genet.* 15(5/6): 160-164.
- BINGHAM, R. T.
1966. Seed movement in the Douglas-fir region. P. 30-34, in: Western Forest Genet. Assoc. Proc., Olympia, Wash., Dec. 6-7, 1965, 71 p.
- *BINGHAM, R. T.
1967. Economical and reliable estimates of general combining ability for blister rust resistance obtained with mixed-pollen crosses. USDA Forest Serv. Res. Note INT-60, 4 p.
- BINGHAM, R. T.
1967. International aspects of blister rust resistance in white pines. P. 832-841, in: Vol. III, 14th IUFRO Congr. Proc., Munich, 926 p.
- *BINGHAM, R. T.
1968. Breeding blister rust resistant western white pine. IV. Mixed-pollen crosses for appraisal of general combining ability. *Silvae Genet.* 17(4): 133-138.
- BINGHAM, R. T.
1969. Recent developments on resistance to white pine blister rust. P. 38-44, in: 17th Western Int. Forest Dis. Work Conf. Proc. 1968, 164 p.
- *BINGHAM, R. T.
1969. Rust resistance in conifers--present status, future needs. P. 483-497, in: 2d FAO World Consultation on Forest Tree Breeding, Vol. 2, 872 p. Rome: FAO.
- BINGHAM, R. T.
1970. Progress in breeding blister rust resistant western white pine. Idaho Forest. 1970: 10-11.
- BINGHAM, R. T.
1970. Progress in breeding blister rust resistant western white pine. P. 8-11, in: Joint Meeting Western Forest Nursery Council and Intermountain Forest Nurseryman's Assoc. Proc., 68 p.
- BINGHAM, R. T.
1972. Artificial inoculation of large numbers of *Pinus monticola* seedlings with *Cronartium ribicola*. P. 357-372, in: Bingham, R. T., R. J. Hoff, and G. I. McDonald (Eds.), *Biology of Rust Resistance in Forest Trees*. USDA Forest Serv., Misc. Pub. 1221, 681 p.
- BINGHAM, R. T.
1972. Taxonomy, crossability, and relative blister rust resistance of 5-needled white pines. P. 271-278, in: Bingham, R. T., R. J. Hoff, and G. I. McDonald (Eds.), *Biology of Rust Resistance in Forest Trees*. USDA Forest Serv., Misc. Pub. 1221, 681 p.

- *BINGHAM, R. T., and J. GREMMEN
1971. A proposed international program for testing white pine blister rust resistance. 15th IUFRO Congr. Invited Paper, 10 p.
- BINGHAM, R. T., and J. GREMMEN
1971. A proposed international program for testing white pine blister rust resistance. European J. Forest Pathol. 1(2): 93-100.
- **BINGHAM, R. T., J. W. HANOVER, H. J. HARTMAN, and Q. W. LARSON
1963. Western white pine experimental seed orchard established. J. Forest. 61(4): 300-301.
- BINGHAM, R. T., R. J. HOFF, and G. I. McDONALD
1971. Disease resistance in forest trees. Annu. Rev. Phytopathol. 9: 433-452.
- BINGHAM, R. T., R. J. HOFF, and G. I. McDONALD (Eds.)
1972. Biology of Rust Resistance in Forest Trees. USDA Forest Serv., Misc. Pub. 1221, 681 p.
- BINGHAM, R. T., R. J. HOFF, and R. J. STEINHOFF
1972. Genetics of western white pine. USDA Forest Serv., Res. Pap. WO-12, 18 p.
- BINGHAM, R. T., H. B. KRIEBEL, and J. GREMMEN
1972. Report of the 1969 organizational meetings of the Committee on White Pine Blister Rust of the Intersectional Working Group on Genetic Resistance to Forest Diseases and Insects of IUFRO Sections 22 (Study of Forest Plants) and 24 (Forest Protection). P. 645-656, in: Bingham, R. T., R. J. Hoff, and G. I. McDonald (Eds.), Biology of Rust Resistance in Forest Trees. USDA Forest Serv. Misc. Pub. 1221, 681 p.
- *BINGHAM, R. T., R. J. OLSON, W. A. BECKER, and M. A. MARSDEN
1969. Breeding blister rust resistant western white pine. V. Estimates of heritability, combining ability, and genetic advance based on tester matings. Silvae Genet. 18(1/2): 28-38.
- *BINGHAM, R. T., and G. E. REHFELDT
1970. Cone and seed yields in young western white pines. USDA Forest Serv. Res. Pap. INT-79, 12 p.
- *BINGHAM, R. T., and A. E. SQUILLACE
1955. Self-compatibility and effects of self-fertility in western white pine. Forest Sci. 1(2): 121-129.
- BINGHAM, R. T., and A. E. SQUILLACE
1957. Phenology and other features of the flowering of pines, with special reference to *Pinus monticola* Dougl. USDA Forest Serv., Intermountain Forest and Range Exp. Sta. Res. Pap. 53, 26 p.
- BINGHAM, R. T., A. E. SQUILLACE, and J. W. DUFFIELD
1953. Breeding blister-rust-resistant western white pine. J. Forest. 51(3): 163-168.
- BINGHAM, R. T., A. E. SQUILLACE, and R. F. PATTON
1956. Vigor, disease resistance, and field performance in juvenile progenies of the hybrid *Pinus monticola* Dougl. X *Pinus strobus* L. Zeitschrift für Forstgenetik und Forstpflanzenzüchtung 5(4): 104-112.

- BINGHAM, R. T., A. E. SQUILLACE, and J. W. WRIGHT
 1960. Breeding blister rust resistant western white pine. II. First results of progeny tests including preliminary estimates of heritability and rate of improvement. *Silvae Genet.* 9(2): 33-41.
- BINGHAM, R. T., A. E. SQUILLACE, and J. W. WRIGHT
 1961. Forest disease and forest tree breeding. Heritability of resistance in progenies from blister rust-resistant *Pinus monticola* selections. P. 1606-1612, in: *Recent Advances in Botany, 1766 p.* (2 vols.) Toronto: Univ. Toronto Press.
- *BINGHAM, R. T., and K. C. WISE
 1968. Western white pine cones pollinated with 1- to 3-year-old pollens give good seed yields. *USDA Forest Serv. Res. Note INT-81*, 3 p.
- *BINGHAM, R. T., K. C. WISE, and S. P. WELLS
 1969. Aberrant cones in western white pine. *USDA Forest Serv. Res. Note INT-86*, 4 p.
- **CALLAHAM, R. Z.
 1960. Selecting the proper seed source of ponderosa pine. P. 26-27, in: *Soc. Amer. Forest. Proc. 1959*, 200 p.
- CALLAHAM, R. Z.
 1960. Temperature and seed germination for races of ponderosa pine. P. 57-58, in: *9th Int. Bot. Congr. Proc. (Vol. II, Abstr.)*, 444 p.
- CALLAHAM, R. Z.
 1961. Experimental taxonomy: more than seed source studies. P. 1695-1699, in: *Recent Advances in Botany. 1766 p.* (2 vols.) Toronto: Univ. Toronto Press.
- CALLAHAM, R. Z.
 1962. Geographic-variability in growth of forest trees. P. 311-325, in: *Kozlowski, T. T. (Ed.), Tree Growth. 442 p.* New York: Ronald Press.
- CALLAHAM, R. Z., R. E. GODDARD, H. M. HEYBROEK, C. M. HUNT, G. I. McDONALD, J. A. PITCHER, and J. A. WINIESKI
 1966. General guidelines for practical programs toward pest-resistant trees. P. 489-493, in: *Gerhold, H. D., et al. (Eds.), Breeding Pest-Resistant Trees. 805 p.* Oxford: Pergamon Press.
- *CALLAHAM, R. Z., and R. J. STEINHOFF
 1966. Pine pollens frozen five years produce seed. P. 94-101, in: *Soc. Amer. Forest. 2d Genetics Workshop and Lake States Forest Tree Impr. Joint Proc. (USDA Forest Serv. Res. Pap. NC-6, 110 p.)*
- DUFFIELD, J. W., and R. T. BINGHAM
 1963. Forest genetics and its application by the small-woodland owners. P. 286-288, in: *Small Woodland Handbook for Pacific Northwest. 422 p.* Oreg. State Univ., Coop. Ext. Serv.
- FOREST GENETICS STEERING COMMITTEE
 1952. A guide for the selection of superior trees in the northern Rocky Mountains. *USDA Forest Serv., Northern Rocky Mountain Forest and Range Exp. Sta. Misc. Pub. 6*, 7 p.
- GANSEL, CHARLES R.
 1956. A comparison of some morphological features of needles from blister rust-resistant and non-resistant western white pine. 24 p. M.S. Thesis, Univ. Idaho.

- *HANOVER, J. W.
1962. Clonal variation in western white pine. I. Graftability. USDA Forest Serv., Intermountain Forest and Range Exp. Sta. Res. Note 101, 4 p.
- HANOVER, J. W.
1963. Comparative biochemistry and physiology of western white pine (*Pinus monticola* Dougl.) resistant and susceptible to infection by the blister rust fungus (*Cronartium ribicola* Fischer). 176 p. Ph.D. Thesis, Wash. State Univ.
- *HANOVER, J. W.
1963. Geographic variation in ponderosa pine leader growth. Forest Sci. 9(1): 86-95.
- **HANOVER, J. W.
1963. New developments in breeding western white pine. II. Biochemistry of rust resistance. Forest Genetics Workshop Proc. 1962. Southern Forest Tree Impr. Comm. Sponsored Pub. 22: 76-78.
- **HANOVER, J. W.
1965. Effect of the chemical mutagen ethyl methanesulfonate on western white pine. Silvae Genet. 14(1): 23-26.
- *HANOVER, J. W.
1966. Environmental variation in the monoterpenes of *Pinus monticola* Dougl. Phytochemistry 5: 713-717.
- *HANOVER, J. W.
1966. Genetics of terpenes. I. Gene control of monoterpene levels in *Pinus monticola* Dougl. Heredity 21(1): 73-84.
- **HANOVER, J. W.
1966. Inheritance of 3-carene concentration in *Pinus monticola*. Forest Sci. 12(4): 447-450.
- HANOVER, J. W.
1966. Studies on the nature of resistance of *Pinus monticola* Dougl. to infection by *Cronartium ribicola* Fischer. P. 165, in: Gerhold, H. D., et al. (Eds.), Breeding Pest-Resistant Trees. 505 p. Oxford: Pergamon Press.
- **HANOVER, J. W.
1966. Tree improvement for disease resistance in western United States and Canada. P. 53-56, in: Gerhold, H. D., et al. (Eds.), Breeding Pest-Resistant Trees. 505 p. Oxford: Pergamon Press.
- HANOVER, J. W.
1971. Genetics of terpenes. II. Genetic variances and interrelationships of monoterpene concentrations in *Pinus monticola*. Heredity 27(2): 237-245.
- *HANOVER, J. W., and B. V. BARNES
1963. Heritability of height growth in year-old western white pine. Forest Genetics Workshop Proc. 1962. Southern Forest Tree Impr. Comm. Sponsored Pub. 22: 71-76.
- *HANOVER, J. W., and B. V. BARNES
1969. Heritability of height growth in western white pine seedlings. Silvae Genet. 18(3): 80-82.

- HANOVER, J. W., and M. M. FURNISS
 1966. Monoterpene concentration in Douglas-fir in relation to geographic location and resistance to attack by the Douglas-fir beetle. P. 23-28, in: Soc. Amer. Forest. 2d Genetics Workshop and Lake States Forest Tree Impr. Joint Proc. (USDA Forest Serv. Res. Pap. NC-6, 110 p.)
- *HANOVER, J. W., and R. J. HOFF
 1966. A comparison of phenolic constituents of *Pinus monticola* resistant and susceptible to *Cronartium ribicola*. *Physiol. Plant.* 19(2): 554-562.
- *HANOVER, J. W., and R. J. HOFF
 1966. Pollination of western white pine with water suspensions of pollen--a technique for chemical mutagen treatments. *Forest Sci.* 12(3): 372-373.
- HILL, ROBERT V.
 1959. A study of leader elongation in western white pine. 52 p. M.S. Thesis, Univ. Idaho.
- HOFF, R. J.
 1966. Blister rust resistance in western white pine. P. 119-124, in: Gerhold, H. D., et al. (Eds.), *Breeding Pest-Resistant Trees*. 505 p. Oxford: Pergamon Press.
- HOFF, R. J.
 1968. Comparative physiology of *Pinus monticola* Dougl. resistant and susceptible to *Cronartium ribicola* J. C. Fisch. ex Rabenh. 76 p. Ph.D. Thesis, Wash. State Univ.
- *HOFF, R. J.
 1968. Chemical verification of the hybrid of *Pinus monticola* and *Pinus flexilis*. *Forest Sci.* 14(2): 119-121.
- *HOFF, R. J.
 1970. Inhibitory compounds of *Pinus monticola* resistant and susceptible to *Cronartium ribicola*. *Can. J. Bot.* 48(2): 371-376.
- **HOFF, R. J., and G. I. McDONALD
 1968. Rooting of needle fascicles from western white pine seedlings. USDA Forest Serv. Res. Note INT-80, 6 p.
- **HOFF, R. J., and G. I. McDONALD
 1970. Resistance to *Cronartium ribicola* in *Pinus monticola*: short shoot fungicidal reaction. *Can. J. Bot.* 49(7): 1235-1239.
- HOFF, R. J., and G. I. McDONALD
 1972. Stem rusts of conifers and the balance of nature. P. 525-535, in: Bingham, R. T., R. J. Hoff, and G. I. McDonald (Eds.), *Biology of Rust Resistance in Forest Trees*. USDA Forest Serv. Misc. Pub. 1221, 681 p.
- HOFF, R. J., and G. I. McDONALD
 In press. Resistance to *Cronartium ribicola* in *Pinus monticola*: reduced needle-lesion frequency. *Silvae Genet.*
- HOFF, R. J., and G. I. McDONALD
 In press. Resistance of *Pinus armandii* to *Cronartium ribicola*. *Can. J. Forest Res.*
- KEMPF, GERHARD
 1928. Non-indigenous western yellow pine plantations in northern Idaho. *Northwest Sci.* 2(2): 54-58.

- McCLUSKEY, R.
1972. Computerized mapping of blister rust epidemics in nursery seed beds. P. 393-395, in: Bingham, R. T., R. J. Hoff, and G. I. McDonald (Eds.), *Biology of Rust Resistance in Forest Trees*. USDA Forest Serv., Misc. Pub. 1221, 681 p.
- McDONALD, G. I.
1969. Resistance to *Cronartium ribicola* J. C. Fisch. ex Rabenh. in *Pinus monticola* Dougl. seedlings. 74 p. Ph.D. Thesis, Wash. State Univ.
- *McDONALD, G. I., and R. J. HOFF
1969. Effect of rooting mediums and hormone applications on rooting of western white pine needle fascicles. USDA Forest Serv. Res. Note INT-101, 6 p.
- *McDONALD, G. I., and R. J. HOFF
1970. Effects of *Cronartium ribicola* infections on rooting potential of detached *Pinus monticola* needle bundles. *Can. J. Bot.* 48(11): 1943-1945.
- *McDONALD, G. I., and R. J. HOFF
1970. Resistance to *Cronartium ribicola* in *Pinus monticola*: early shedding of infected needles. USDA Forest Serv. Res. Note INT-124, 8 p.
- *McDONALD, G. I., and R. J. HOFF
1971. Resistance to *Cronartium ribicola* in *Pinus monticola*: genetic control of needle-spots-only resistance factors. *Can. J. Forest Res.* 1(4): 197-202.
- *REHFELDT, G. E.
1970. Geneecology of *Larix laricina* (Du Roi) K. Koch in Wisconsin. I. Patterns of natural variation. *Silvae Genet.* 19(1): 9-16.
- *REHFELDT, G. E., and D. T. LESTER
1969. Specialization and flexibility in genetic systems of forest trees. *Silvae Genet.* 18(4): 118-123.
- *REHFELDT, G. E., and J. E. LOTAN
1970. *Pinus contorta* X *banksiana* hybrids tested in northern Rocky Mountains. USDA Forest Serv. Res. Note INT-126, 7 p.
- *REHFELDT, G. E., A. R. STAGE, and R. T. BINGHAM
1971. Strobili development in western white pine: periodicity, prediction, and association with weather. *Forest Sci.* 17(4): 454-461.
- *REHFELDT, G. E., and R. J. STEINHOFF
1970. Height growth in western white pine progenies. USDA Forest Serv. Res. Note INT-123, 4 p.
- *RYKER, R. A., and R. D. PFISTER
1967. Thinning and fertilizing increase growth in a western white pine seed production area. USDA Forest Serv. Res. Note INT-56, 3 p.
- *SCHÜTT, P., and R. J. HOFF
1969. Foliage dry matter of *Pinus monticola*: its variability with environment and blister rust resistance. USDA Forest Serv. Res. Note INT-102, 6 p.
- SHEARER, R. C.
1966. Development of ponderosa pine progeny in western Montana. USDA Forest Serv. Res. Note INT-52, 4 p.
- SHEARER, R. C.
1966. Performance of 14-year-old *Pinus ponderosa* hybrids in western Montana. USDA Forest Serv. Res. Note INT-53, 4 p.

- SHEARER, R. C., and W. C. SCHMIDT
1970. Natural regeneration in ponderosa pine forests of western Montana. USDA Forest Serv. Res. Pap. INT-86, 19 p.
- SHEARER, R. C., and W. C. SCHMIDT
1971. Ponderosa pine cone and seed losses. J. Forest. 69(6): 370-372.
- SMITH, E. W., III, E. CLEAVELAND, and D. W. LYNCH
[n.d.] A guide for finding superior ponderosa pine trees and stands in south-western Idaho. Research Committee, Southern Idaho Forestry Assoc., 8 p.
- **SQUILLACE, A. E.
1952. Opportunities for forest genetics research in the northern Rocky Mountain region. Mont. Acad. Sci. Proc. 11: 3-7.
- **SQUILLACE, A. E.
1953. Effect of squirrels on the supply of ponderosa pine seed. USDA Forest Serv., Northern Rocky Mountain Forest and Range Exp. Sta. Res. Note 131, 4 p.
- *SQUILLACE, A. E.
1957. Variations in cone properties, seed yield, and seed weight in western white pine seed when pollination is controlled. Mont. State Univ. Sch. Forest. Bull. 5, 16 p.
- **SQUILLACE, A. E., and R. T. BINGHAM
1954. Breeding for improved growth rate and timber quality in western white pine. J. Forest. 52(9): 656-661.
- **SQUILLACE, A. E., and R. T. BINGHAM
1954. Forest genetics research in the northern Rocky Mountain region. J. Forest. 52(9): 691-692.
- **SQUILLACE, A. E., and R. T. BINGHAM
1958. Localized ecotypic variation in western white pine. Forest Sci. 4(1): 20-34.
- SQUILLACE, A. E., and R. T. BINGHAM
1958. Selective fertilization in *Pinus monticola* Dougl. I. Preliminary results. Silvae Genet. 7(6): 188-195.
- SQUILLACE, A. E., and R. T. BINGHAM
1960. Heritability of juvenile growth rate in western white pine. P. 40, in: Soc. Amer. Forest. Proc. 1959, 200 p.
- *SQUILLACE, A. E., R. T. BINGHAM, GENE NAMKOONG, and H. F. ROBINSON
1967. Heritability of juvenile growth rate and expected gain from selection in western white pine. Silvae Genet. 16(1): 1-6.
- *SQUILLACE, A. E., and R. R. SILEN
1962. Racial variation in ponderosa pine. Forest Sci. Monogr. 2, 27 p.
- *STEINHOFF, R. J.
1970. Northern Idaho ponderosa pine racial variation study--50-year results. USDA Forest Serv. Res. Note INT-118, 4 p.
- **STEINHOFF, R. J.
1971. Field levels of infection of progenies of western white pine selected for blister rust resistance. USDA Forest Serv. Res. Note INT-146, 4 p.

- STEINHOFF, R. J.
 1972. White pines of western North America and Central America. P. 215-230, in: Bingham, R. T., R. J. Hoff, and G. I. McDonald (Eds.), Biology of Rust Resistance in Forest Trees. USDA Forest Serv., Misc. Pub. 1221, 681 p.
- *STEINHOFF, R. J., and J. W. ANDRESEN
 1971. Geographic variation in *Pinus flexilis* and *Pinus strobiformis* and its bearing on their taxonomic status. *Silvae Genet.* 20(5/6): 159-167.
- *STEINHOFF, R. J., and R. J. HOFF
 1971. Estimates of the heritability of height growth in western white pine based on parent-progeny relationships. *Silvae Genet.* 20(5/6): 141-143.
- **TACKLE, D.
 1957. Protection of ponderosa pine cones from cutting by the red squirrel. *J. Forest.* 55(6): 446-447.
- **TACKLE, D.
 1959. A further test of tree bands for cone protection. *J. Forest.* 57(5): 373.
- TOWNSEND, A. M.
 1969. Physiological, morphological, and biochemical variation in western white pine (*Pinus monticola* Dougl.) from different altitudinal seed sources in Idaho. 60 p. Ph.D. Thesis, Mich. State Univ.
- WEIDMAN, R. H.
 1925. Ten years' trial of some introduced species at Priest River Experiment Station. USDA Forest Serv., Northern Rocky Mountain Forest and Range Exp. Sta. Appl. Forest. Notes 56, 3 p.
- WEIDMAN, R. H.
 1939. Evidences of racial influence in a 25-year test of ponderosa pine. *J. Agr. Res.* 59(12): 855-888.
- *WRIGHT, J. W., R. T. BINGHAM, and K. W. DORMAN
 1958. Genetic variation within geographic ecotypes of forest trees and its role in tree improvement. *J. Forest.* 56(11): 803-808.
- WRIGHT, J. W., F. H. KUNG, R. A. READ, R. J. STEINHOFF, and J. W. ANDRESEN
 1970. The Christmas tree possibilities of southwestern white and limber pines. *Amer. Christmas Tree J.* 12(4): 27-31.
- WRIGHT, J. W., F. H. KUNG, R. A. READ, R. J. STEINHOFF, and J. W. ANDRESEN
 1971. Nine-year performance of *Pinus flexilis* and *Pinus strobiformis* progenies in Michigan and Nebraska. *Silvae Genet.* 20(5/6): 211-214.

